

EAST Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	54	"4607346" "6542975" "6854034" "20020065999" "20030233518" "20040030852" "20040107315" "20040148485" "20050010733"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 16:43
S2	11024	((707/200-205)(711/141-144, 159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:49
S3	5708	((707/200-205)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:44
S4	5715	((711/141-144,159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:44
S5	2088	((711/141-144)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:44
S6	3775	((711/159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 16:44
S7	16	S3 AND S5 AND S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 16:48
S8	51	S3 AND S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 17:11

S9	364	S3 AND S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:06
S10	148	S5 AND S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:06
S11	2	"20040148485"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:05
S12	7684	((back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme strategy)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:21
S13	5715	((707/200-205)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:15
S14	3788	((711/159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:15
S15	367	S13 AND S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:15
S16	14	S12 AND S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:16

S17	194	("5875479" "5933653" "5724500" "6223262" "6223262" "4295604" "4367845" "4431372" "4439994" "4521354" "4544428" "4565917" "4593365" "4830701" "4833301" "4965148" "5211642" "5241668" "5375221" "5390186" "5446884" "5502811" "5502836" "5504888" "5548974" "5596707" "5603569" "5625817" "5710504" "5713068" "5718627" "5859741" "5871510" "5894571" "5897661" "5908490" "5927379" "5950218" "5968170" "5978166" "5987575" "6014675" "6041588" "6058707" "6058707" "6105037" "6111707" "6115781" "6131148" "6154853").pn. ("6192444" "6209002" "6212531" "6212531" "6254964" "6291052" "6316077" "6317845" "6374266" "6385626" "6385706" "6397308" "6432503" "6444290" "6463652" "6643671" "4771375" "5026258" "5644696" "6052758" "5276860" "5430606" "5590274" "5628467" "5634335" "5764879" "5823177" "5907672" "6041420" "6047294" "6141773" "6216209" "6216209" "6237068" "3596520" "3581500" "3633520" "4244554" "4246782" "4248081" "4256101" "4257587" "4270385" "4292842" "4294228" "4324005" "4324482" "4360875" "4424574" "4436676").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:16
S18	605	(((back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme strategy) NEAR5 (identifier identification ID identity number numeric numeral (site adj1 code) (serial adj1 number) (location adj1 code) (personal adj1 identification adj1 number) pins pin bit bits digit string)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:46
S19	1	S18 AND S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:28

S20	11043	((707/200-205)(711/141-144, 159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:28
S21	21	S18 AND S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:51
S22	4262	((storage (back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy) NEAR5 (identifier identification ID identity number numeric numeral (site adj1 code) (serial adj1 number) (location adj1 code) (personal adj1 identification adj1 number) pins pin bit bits digit string flag field indicator header medium address destination)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory list database db dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 15:50
S23	236	S22 AND S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 09:47
S24	804	tivoli	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:17
S25	3788	((711/159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 09:54

S26	15	S24 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:08
S27	4262	((storage (back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy) NEAR5 (identifier identification ID identity number numeric numeral (site adj1 code) (serial adj1 number) (location adj1 code) (personal adj1 identification adj1 number) pins pin bit bits digit string flag field indicator header medium address destination)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory list database db dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:51
S28	3	S24 AND S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:14
S29	72864	tivoli OR VTS OR (virtual NEAR1 tape NEAR1 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:23
S30	932	tivoli OR (virtual NEAR1 tape NEAR1 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:15
S31	36	S30 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:41

S32	11043	((707/200-205)(711/141-144, 159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:17
S33	48	S24 AND S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:17
S34	142	(virtual NEAR1 tape NEAR1 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:27
S35	25	S34 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:27
S36	24	(US-20040148485-\$ or US-20040044827-\$ or US-20030196052-\$ or US-20030196036-\$ or US-20030177324-\$).did. or (US-6477629-\$ or US-6941328-\$ or US-6886019-\$ or US-6880051-\$ or US-6857053-\$ or US-6779093-\$ or US-6779058-\$ or US-6745212-\$ or US-6463513-\$ or US-6467024-\$ or US-6473829-\$ or US-6513101-\$ or US-6336173-\$ or US-6336172-\$ or US-6249849-\$ or US-6173359-\$ or US-6199146-\$ or US-6041329-\$ or US-6014675-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/07 12:44
S37	0	S36 AND (stor\$3 NEAR2 into)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:45
S38	6	S36 AND (stor\$3 NEAR2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:45

S39	456	((storage (back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy manner way rule)) AND S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:30
S40	297	((storage (back adj1 up) backup) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy manner way rule)) AND S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:31
S41	86	((back adj1 up) backup) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy manner way rule)) AND S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:02
S42	35	netbackup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:13
S43	261	S30 AND rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:20
S44	1	S30 AND (backup NEAR1 rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:21
S45	1	S30 AND (backup NEAR2 rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:21
S46	2	S30 AND (backup NEAR5 rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:22

S47	11	S30 AND (backup NEAR1 method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:22
S48	11068	((707/200-205)(711/141-144, 159-165)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:41
S49	48	tivoli AND S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:36
S50	6	("4607346" "6542975" "6854034"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 14:45
S51	12	"20020065999" "20030233518" "20040030852" "20040107315" "20040148485" "20050010733"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 14:46
S52	22564	((707/200-205)(709/217)(711/111-1 14,133,134,136,141-144,154, 159-165,170-173)(714/6,701,702)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 12:52

S53	5566	((storage (back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4 archive migrat\$3 move snapshot) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy manner way rule) NEAR5 (identifier identification ID identity number numeric numeral (site adj1 code) (serial adj1 number) (location adj1 code) (personal adj1 identification adj1 number) pins pin bit bits digit string flag field indicator header medium address destination)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory list database db dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:54
S54	451	S52 AND S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:55
S55	822	(711/156).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 12:53
S56	5575	((storage (back adj1 up) backup copy copies copying (mirror adj1 image\$1) duplicat\$4 replicat\$4 reprod\$4 send\$4 sent transmit\$4 archive migrat\$3 move snapshot) NEAR5 (method approach arrangement design guideline plan procedure protocol regime\$1 scheme schema strategy manner way rule) NEAR5 (identifier identification ID identity number numeric numeral (site adj1 code) (serial adj1 number) (location adj1 code) (personal adj1 identification adj1 number) pins pin bit bits digit string flag field indicator header medium address destination)) WITH (table index indices glossar\$4 thesaur\$4 summaries catalog inventory list database db dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:53

S57	10	S55 AND S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:57
-----	----	-------------	---	----	----	------------------

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(backup NEAR2 method NEAR2 selection) AND ((first 1st) NEAR2 table) AND ((second 2nd) NEAR2 table) AND ((third 3rd) NEAR2 table) AND (state NEAR2 (information condition))	US-PGPUB; USPAT	OR	ON	2005/09/14 13:21
L2	1	(backup NEAR2 method NEAR2 selection) AND ((first 1st) NEAR2 table) AND ((second 2nd) NEAR2 table) AND ((third 3rd) NEAR2 table) AND (state NEAR2 (information condition)).CLM.	US-PGPUB; USPAT	OR	ON	2005/09/14 13:21
L3	1	((backup NEAR2 method NEAR2 selection) AND ((first 1st) NEAR2 table) AND ((second 2nd) NEAR2 table) AND ((third 3rd) NEAR2 table)).CLM.	US-PGPUB; USPAT	OR	ON	2005/09/14 13:22
L4	1	((backup NEAR2 method NEAR2 selection)).CLM.	US-PGPUB; USPAT	OR	ON	2005/09/14 13:23
L5	14	(backup NEAR2 method NEAR2 (select\$3)).CLM.	US-PGPUB; USPAT	OR	ON	2005/09/14 13:28
L6	14	(backup NEAR2 (method rule strategy protocol scheme) NEAR2 (select\$3)).CLM.	US-PGPUB; USPAT	OR	ON	2005/09/14 13:29